

#### 83 IN 1, RICH CONFIGURATION EVERY ACCESSORY CAN HELP YOU AT THE RIGHT TIME

4/

Reasonable collocation design, thinking about the function of this product from the perspective of consumers. The accessories can be matched freely, which can easily cope with home decoration and home scenarios.



46


## RICH USAGE SCENARIOS CAN BE USED AT ANY TIME

46









REPAIR FURNITURE

REPAIR BICYCLE

## 3D ENGRAVING STYLE SCREWDRIVER HANDLE.


THE STREET

WITH A ROTATING CAP DESIGN ON THE TAIL.

45

The 3D anti-slip screwdriver handle can effectively increase the friction force, and the rotating cap flexibly fits your palm to rotate, which can save labor.





# BUILT-IN EXTENSION BAR IN THE HANDLE THE LENGTH CAN BE ADJUSTED IN SECTIONS

45


The extension bar can be used in narrow or special repair places. And it can be retracted and stored, saving more space.

Simply push the switch on the handle forward to stretch the extension bar.

The extension bar can extend up to

50<sub>mm</sub>





## VARIOUS ACCESSORIES EASY DISASSEMBLY









#### PRODUCT CONFIGURATION ////

111111111111

The configuration is rich, the box is exquisite and small, easy to carry. Covering all types of maintenance fields. One set to meet all your needs.

Brand	JAKEMY	Model	JM-8186	
Product size	174*105 *36mm	Product weigh	t 600g	
Internal accessories	Screwdriver handle *1 Twe		Tweezer * 1	
	Ultra thin Opening tools * 1		Spudger *2	
	magnetizer ring *1		Suction cup *1	
	Sockets H4 to H6.3 *1			
	CR-V screwdriver bits *56 Sockets *13			





### PRODUCT DETAILS: ACCESSORIES



I		Product pictures	Size	Material
	Spudger *2		85 * 12 mm	РОМ
	Suction cup * 1		45 * 48 mm	PVC
	Ultra thin Opening tools * 3		38 * 40 mm	POM
	Tweezer *1	<<<< swiss tweezer	140 mm	Stainless steel
	Sockets H4 to H6.3 *1		30 mm	50BV30
	Screwdriver handle *1		135* 26 mm	TRP Soft glue + Aluminum alloy
	magnetizer ring*1		17* 17mm	NdFeB magnet

#### **PRODUCT DETAILS:**



	Product pictures	Screwdriver Bit Model	
S-2 45mm deep hole screwdriver bits *4	JM-St-1.5	<ul><li>→ 1.5 / 2.0</li><li>→ 1.5 / 2.0</li></ul>	
H6.3 25mm CR-V screwdriver bits *4		<ul><li>← 6.0 / 7.0</li><li>← 6.0 / 6.5</li></ul>	
Sockets *13		M2.5 / M3.0/ M3.5/ M4.0/ M4.5 / M5.0 / M5.5 /G3.8 / G4.5 / U8 / U10 / PH2 / 4	
CR-V screwdriver bits *56	H4.5 / H5.0 / H6.0  T1 / T2 / T3 / T4 / T5 / T6 / T20 / T25  -1.0 / -1.5 / -2.0 / -2.5 / -3.0	T1 / T2 / T3 / T4 / T5 / T6 / T7 / T8 / T9 / T10 / T15 T20 / T25 -1.0 / -1.5 / -2.0 / -2.5 / -3.0 / -3.5 / -4.5 / -5.0 +1.0 / +1.5 / +2.0 / +2.5 / +3.0 / +3.5 Y0.8 / Y2.0 / Y2.5 / Y3.0 0.8 / 1.2 / 1.5 / 2.0	