

**Pro'sKit®**

Professional Tool Solutions Since 1991

# 24-IN-1 REVERSIBLE RATCHET

PRECISION SCREWDRIVER



**SD-9824**

# OUTSTANDING STRUCTURE





EASY WORK, HIGH

## RATCHET ACTION

3 POSITIONS: FORWARD, REVERSE AND LOCK



## QUICK CHANGE DESIGN

\*CLICK-STOP BALL CLAMP PROVIDES A SAFETY HOLD  
AND REPETITIVE USE

\*ADJUSTABLE BLADE LENGTHS. WORKING LENGTH

# WIDE APPLICATION


BIKE REPAIRS



EQUIPMENT MAINTENANCE



HOPE REPAIRS



APPLIANCES MAINTENANCE





29~129 mm

130mm



160mm

#### BITS SPEC

|  |                                    |
|--|------------------------------------|
|  | PZ1 PZ0                            |
|  | 1.5 2.0 3.0 4.0                    |
|  | #0 #00 #000 #1                     |
|  | H1.5 H2.0 H2.5 H3.0 H3.5 H4.0      |
|  | T5H T6H T7H T8H T9H T10H T15H T20H |



## Contents

3 position ratchet handle: 130mm

12pcs double end hex bits:  $\varnothing 4 \times 160\text{mm}$

|                                                                                   |     |                                                                                   |      |                                                                                   |      |                                                                                   |      |                                                                                     |     |
|-----------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-----|
|  | PZ1 |  | PZ0  |  | H2.5 |  | H4.0 |  | 4.0 |
|  | T8H |  | T10H |  | H2.0 |  | H3.5 |  | 3.0 |
|  | T7H |  | T9H  |  | H1.5 |  | H3.0 |  | 2.0 |
|  | T6H |  | T15H |  | #1   |  | #00  |  | 1.5 |
|  | T5H |  | T20H |  | #0   |  | #000 |                                                                                     |     |

Carrying case :192x130x26mm